	Application No.	Applicant(s)
•		
Notice of Allowability	10/811,539 Examiner	ALSETH ET AL. Art Unit
,	Lammer	Artonic
	Omar Flores-Sánchez	3724
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. ☑ This communication is responsive to <u>10/10/06</u> .		
2. ☑ The allowed claim(s) is/are <u>1-17</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER' as reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF tion is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08),	7. Examiner's Amendn	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	
	•	

Application/Control Number: 10/811,539

Art Unit: 3724

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The claim is allowable because the prior art fails to teach a shim for adjusting the clearance between a guide and an upper jaw as set forth in claims 1 and 12.

LaBounty et al. teaches a lower jaw 12, an upper jaw 14, pivot means 16, means for attachment to the boom structure of the excavator 18, a first mounting plate (26 and 80), a second mounting plate 28, guides (68 and 95) and means for attaching the guide/bolts 72. However, LaBounty et al. doesn't need the use of a shim for adjusting the clearance because when the guide becomes worn the bolt 78 is turned for adjusting the clearance (see col. 5, lines 51-57).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Omar Flores-Sánchez whose telephone number is 571-272-4507. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/811,539

Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ofs

12/18/06

SUPERVISORY PATENT EXAMINER

Page 3